

OH**Ohio**

Ohio
 Department of Transportation
 Special Hauling Office, Permit Section
 1980 Broad Street
 Columbus, Ohio 43223

PHONE: (614) 351-2300

HOURS: 7:30 A.M.-4:30
EASTERN TIME

Legal Limits	DESIGNATED HIGHWAYS	ALL OTHER ROADS
Weight:		
Single	20,000	20,000
Tandem	Two successive axles spaced 4' or less, center to center, not to exceed 24,000 lbs. Two successive axles in excess of 4' but not more than 8', 34,000 + 1,000 lbs. for each foot or fraction thereof over 4', not to exceed 40,000 lbs.	
Tridum	Spaced more than 4' between each axle and not more than 9' between the 1st and 3rd axle, cannot exceed 48,000 lbs.	
Gross weight	80,000 <i>Federal Bridge Formula applies.</i>	80,000
Width:	8'6"	8'6"
Height:	13'6"	13'6"
Length:		
Single unit, buses	50' 48' passenger bus operated in municipal area	50'
Semi-trailer	53'	53'
Twins or doubles	28'6"	28'6"
Autotransporters	65'	65'
Stinger steered	75'	75'
Rocky mtn. doubles	Not allowed	Not allowed
Turnpike doubles	See Turnpike Section	See Turnpike Section
Triples	See Turnpike Section	See Turnpike Section
Saddlemounts	75'	75'
TOLERANCE	No tolerance.	
TIRE WIDTH	650 lbs. per inch width.	

ACCESS

The permittee is authorized to exit the permitted route at any State Highway intersection for food, fuel, rest, or repair provided that the hauler doesn't travel more than 5,280 feet (1 mile) from the interchange (measured as a lane mile from the junction of the off ramp) and doesn't cross under (if permitted height exceeds 13'6") or over any structure (structure is defined as anything 10' wide or greater).

When re-entering the permitted route, the permittee must abide by the same restrictions as when exiting the permitted route. By traveling more than 5,280 feet (1 mile) or crossing over or under (if permitted height exceeds 13'6") any structure the permittee will be considered off route. In the event that the permittee travels beyond the one-mile limit, crosses a structure within the one-mile variance, or violates any other provision of the permit, the permittee is in violation and subject to applicable fines and penalties. The permittee should have the ability to see the facility where they are stopping from the permitted route.

OVERHANG

Autotransporters: 3' front, 4' rear.

EXEMPTIONS

Fire engines, fire trucks, or other vehicles or apparatus belonging to any municipal corporation or to the volunteer fire department of any municipal corporation or used by such department in the discharge of its functions.

Vehicles and pole trailers used in the transportation of wooden and metal poles, transportation of pipes or well drilling equipment, farm machinery and equipment.

Permit Limits**ROUTINE ISSUE****Weight:**

Single	29,000
Tandem	36,000 Spacing equal to or less than 4'1".
	50,000 Spacing more than 4'1"
Tridum	60,000 4' 1"Minimum Spacing
Quad	60,000 Spacings 4'
	80,000 Spacings 4'1" or greater

Gross Weight:

5 Axles Single-tandem-tandem	Not to exceed 120,000 lbs.
6 Axles Single-tandem-tridum	29,000 - 46,000 - 46,000 = 121,000 GVW
7 Axles Single-tridum-tridum	29,000 - 46,000 - 53,000 = 128,000 GVW
8 Axles Single-tandem-tandem-tridum	29,000 - 53,000 - 53,000 = 135,000 GVW
	29,000-46,000-46,000-53,000=174,000 GVW

These are guidelines only. These weights are dependent on the axle configuration and axle spacings. Anything over 120,000 pounds requires special approval.

Length:	No maximum set.
Width:	14'
Height:	14'6"

A route survey may be required over these dimensions when traveling off interstate routes.

If load exceeds any of these dimensions or weights, refer to the section on Super Loads.

All rail crossings are noted on the permit and it is the responsibility of the driver to contact the railroads.

PERMITS VALID FOR

Single trip permits are valid for five (5) consecutive days.

ACCEPTABLE PERMIT FORMAT

Permits may be shown when needed via an electronic device, such as mobile phone. The two page Form OS-1A must accompany the permit.

EXTENSIONS/REVISIONS

Revisions will be granted prior to movement to alter routes, change dimensions, weights or substitute vehicles. No revisions for origin/destination, load description, permit type, a permit that has been violated, or permittee. Revision charge is \$10.00. Superload revision charge is \$50.00. If the revision changes the original fee, a new permit must be ordered.

OPERATING TIME

Daytime only for overdimensional loads, loads that are only overweight may travel 24 hours a day provided they can keep up with the flow of traffic.

Night travel may be allowed for vehicle/loads that do not exceed 10' wide, legal height, length, & weight traveling on 4 lane highways. Must be requested and issued on a case by case basis.

WEEKEND TRAVEL

Movement of all vehicles/loads in excess of 12' wide shall be prohibited during the following times: Saturday from 3 p.m. until one-half hour before sunrise on the following Sunday; Sunday from 3 p.m. until one-half hour before sunrise on the following Monday. Friday from 3 p.m. until one-half hour before sunrise on the following Saturday (April 1 - November 30).

Night travel may be allowed for vehicle/loads that do not exceed 10' wide, legal height, length, & weight traveling on 4 lane highways. Must be requested and issued on a case by case basis.

LIFT AXLES

If an axle is declared on the permit, it must be in the down position at all times, except if the permit (or permit attachment) states otherwise.

DIVISIBLE LOADS

All loads must be reduced.

EXCEPTIONS

A dozer with a blade exceeding 14' wide must place a protector device on it, if not the blade shall be removed and hauled separately. A blade between 12' and 14' wide is restricted to a 25 mile radius unless a traffic protector device is used.

No restrictions on the dozer blade if width does not exceed 12'. No permits will be issued for dozers with blades attached over 15' wide.

Special hauling permits may be issued for transporting wire mesh or bar mat up to 12' wide provided plywood or similar sheeting protection covers both sides of the load.

No permits are required if legal dimensions are not exceeded for vehicles and pole trailers hauling wood or metal poles, pipes, well drilling equipment, or farm machinery and equipment.

SELF-PROPELLED EQUIPMENT

Must follow regular overweight rules and regulations. Farm tractors and other self-propelled farm equipment are prohibited from towing overweight loads and oversize loads not specifically exempted by state law.

Self-propelled or towed construction, agricultural or other similar equipment not designed for or employed in general highway transportation is prohibited from tollway use. Maximum size and weight depends on the spacings.

INTERMODAL

These permits are available for shipments of sealed containers to overseas markets. To be eligible for this permit type, the sealed container must originate at an Ohio facility and be transported to an approved intermodal facility that is also located in Ohio. The container must be bound for an international destination. Vehicles must be within the legal dimensions and must otherwise be in compliance with the legal weight laws in order to qualify for a permit.

	<u>Max Weight</u>
5 axles	94,000
Single Axle	29,000
Tandem	42,000
Tridum	60,000

May be issued for 45 days (\$250.00) or 90 days (\$500.00).

Single trip permits may be issued for 5 days (\$145.00) as a Regional Heavy Haul permit. The maximum travel distance is 150 miles per permit.

MANUFACTURED HOUSING/MOBILE HOMES

A minimum of 24 hours notice prior to initiating the move. Notification must be given to each county's Sheriff's Department involved in the move, the Ohio Highway Patrol and the District Permit Office. All traffic signals, signs, etc., shall be restored to their original position.

Turnout locations shall be established to allow accumulated traffic to pass in such a manner as will not delay traffic moving in either direction in excess of 15 minutes. In the event of a breakdown, every effort must be made to remove the building from the highway. If it cannot be moved, it shall be clearly marked with warning lights.

Vehicles towing mobile homes and office trailers shall conform to the following minimum requirements: 1.) for loads 8' to 10' wide, up to 52' long - a 3/4-ton truck with dual rear wheels; 2.) for loads 10' to 12' wide, over 60' long - 1-1/2 ton truck with dual rear wheels; 3.) for loads over 12' wide, any length - 2-ton truck with dual rear wheels.

Towing vehicles for buildings: For movements up to 10 miles, buildings may be mounted on house moving dollies equipped with pneumatic tires and towed by a truck or truck tractor when the movement does not exceed a total length of 10 miles. Dollies and tires shall be in good condition and a sufficient number shall be used to safely carry the weight of the building.

For movements over 10 miles, buildings shall be loaded on a truck, semi-trailer or trailer.

Types of Permits**Single Permit**

A single permit is any permit granted for the one-way movement only of an overweight and/or overdimensional vehicle between two specific locations over a specified route. Such permit may also include a return trip movement of the same vehicle over the same route if such privilege is requested and granted. Return trip granted only for self-propelled equipment, loaded construction equipment or empty over dimensional trailers.

Continuing Permit

Issued for repeated movements of the same vehicle, including any approved load or axle spacing over the same routing between the same two specific locations. Good for 90 calendar days or 365 calendar days at the option of the permit applicant.

OHIO

Construction Equipment Permit

Granted for the unlimited number of movements of construction equipment to or from a construction worksite. The construction equipment must be part of an overdimensional vehicle whose width is 12' or less. Valid for 365 calendar days. Not issued for overweight.

Regional Heavy Haul Permit

Granted for the divisible loads with dimensions and weight. Single trips may be obtained for vehicle/loads with a GVW greater than 120,000 lbs, height greater than 14'6", width greater than 14'. Single trip or 90 day permit may be obtained for vehicle/loads with a GVW 120,000 lbs. or less, height of 14'6" or less, width 14' or less.

3 or Fewer Steel or Aluminum Coils

Single trip, 90 Day Continuing or 365 Day Continuing permits may be issued for a legal dimensioned overweight vehicle (up to 120,000 pounds GVW) transporting three or fewer coils of steel or aluminum coils.

For 90 and 365 Day Continuing Permit Requests:

*Shipments must originate from an Ohio "approved" steel or aluminum manufacturer or processor facility OR

*Shipments originating outside the state of Ohio must be legal/permited in the bordering state. All steel or aluminum coil permit requests originating outside the state of Ohio will be assigned the most direct route to the nearest truck weight enforcement station for inspection and verification of permit compliance.

Turnpike

No permits are required for vehicles that do not exceed the following dimensional and limits: 8'6" wide, 13'6" high, 40' long for single units except passenger bus with 3 or more axles and then the length is 45'. Length is 65' for any other combination of vehicles coupled together. Length for tandem trailer combination in excess of 90' but not exceeding 112" in length, maximum weight of 127,400 lbs.

Special hauling permits are issued at entering toll plaza; single trailer combinations ONLY. Charges for a single trip are \$4 per permit, plus for each mile traveled, \$.02 cents per foot of overwidth, \$.01 cent for overlength and \$.02 cents per foot over height. These are in addition to the regular toll. No permits are issued for overweight (over 90,000 lbs. gross weight or over 21,000 lbs. for any single axle load weight).

Turnpike Tandem Trailer Permit

Neither semi-trailer may exceed 48' in length. The minimum length permitted for a combination weighing more than 90,000 lbs. total gross weight shall be 90' and the maximum shall not exceed 112'. The number of axles of a combination shall not exceed 127,400 lbs. (21,000 lbs. on one axle, 24,000 lbs. if tandem is spaced 4' or less and 34,000 lbs. if more than 4' but less than 8'). See Turnpike Restrictions in the Restrictions portion for Ohio.

Special Hauling Permit Fee Schedule

Effective January 02, 2019

<u>Permit Type</u>	<u>Routine</u> <u>Weights/Dimensions</u>		<u>Super Load</u> <u>Weights/Dimensions</u>	
	<u>One Way</u>	<u>& Return</u>	<u>One Way</u>	<u>& Return</u>
<u>Single Trip</u>				
OS Only	\$75	\$110	\$145	\$210
OS/OW	\$145	\$210	\$145 + TM**	\$210 + TM**
Steel/Aluminum Coil	\$75	N/A	N/A	N/A
Multi-State OS Only	\$65	N/A	N/A	N/A
Multi-State OS/OW	\$145	N/A	N/A	N/A
Emergency	\$260	\$375	N/A	N/A
<u>Continuing (90 Day)</u>				
OS Only	\$260	\$385	N/A	N/A
OS/OW	\$510	\$760	N/A	N/A
Steel/Aluminum Coil	\$135	N/A	N/A	N/A
Michigan Legal	\$125	\$125	\$165	\$165
International Sealed Container	\$510	N/A	N/A	N/A
<u>Continuing Annual (365 Day)</u>				
OS Only	\$980	\$1,180	N/A	N/A
OS/OW	\$1,980	\$2,980	N/A	N/A
Steel/Aluminum Coil	\$480	N/A	N/A	N/A
Michigan Legal	\$470	\$470	\$630	\$630
<u>Continuing (45 Day)</u>				
International Sealed Container	\$260	N/A	N/A	N/A
<u>Blanket Permits (365 Day)</u>				
Boat	\$100	Included	N/A	N/A
Construction Equipment	\$100	Included	N/A	N/A
Farm Equipment	\$100	Included	N/A	N/A
Manufacturing Building	\$100	Included	N/A	N/A
Marina	\$100	Included	N/A	N/A
<u>Revisions</u>				
All Permits	\$10	\$10	\$50	\$50

*** If what is being revised will change the price of the original permit, a new permit must be obtained.

N/A - Not Available

** TM - Ton Mile = [(GVW - 120,000)/2000] times \$0.04 per mile traveled

Regional Heavy Haul Permit Fee Schedule

Effective January 27, 2014

<u>Permit Type</u>	<u>Routine</u> <u>Weights/Dimensions</u>		<u>Super Load</u> <u>Weights/Dimensions</u>	
	<u>One Way</u>	<u>Each Added Destination**</u>	<u>One Way</u>	<u>Each Added Destination**</u>
<u>Single Trip</u>				
OS Only	\$135	\$65	\$136	\$65
OS/OW	\$145	\$135	\$145 + TM***	+ TM***
Steel/Aluminum Coil	\$75	\$65	N/A	N/A
<u>Continuing (90 Day)</u>				
OS Only	\$260	\$65	N/A	N/A
OS/OW	\$510	\$135	N/A	N/A
Steel/Aluminum Coil	\$135	\$65	N/A	N/A
<u>Revisions</u>				
All Permits	\$10	\$10	\$50	\$50

•Maximum Travel Distance for Regional Heavy Haul Permits is 150 miles

•Maximum number of 4 additional destinations

*** TM - Ton Mile = [(GVW - 120,000)/2000] times \$0.04 per mile traveled

NA- Not Available

INFORMATION NEEDED TO ORDER A PERMIT

Tractor and trailer information including license # for all equipment (including jeeps and boosters), empty weight, tire sizes, load dimensions, overall load description, make, model, gross weight, load weight, axle weights and spacings, origin, destination and routes. If picking up or delivering in the state, must have complete physical address.

Escorts

When Escorts Are Need:

Overall length in excess of 90 feet

Escorts

1 Rear

Overall width in excess of 13 feet.

1 Lead(Rear on multiple lane highway)

Overall height in excess of 14'6".

1 lead escort vehicle equipped with a height sensing device

Overall width in excess of 14'6"

1 Lead & 1 Rear

Overall height in excess of 14'10"

1 Lead & 1 Rear

Note: Escort vehicles shall be required to maintain radio communication with the operator for the permitted vehicle and shall also be required to be equipped with a roof mounted amber flashing or rotating light(s). Driver of the escort vehicle is to act as a flagman when needed.

Lead escort vehicle, when required, is to proceed 500 feet in advance of permit vehicle/load. Rear escort vehicle, when required, is to follow 500 feet behind permit vehicle/load.

All commercial vehicles operated under a permit and escorted by the Ohio State Highway Patrol must have a MCSAP inspection prior to movement. Out of State inspections will not be honored unless the inspection resulted in a CVSA decal being awarded.

VEHICLE REQUIREMENTS

A private escort vehicle shall be a single unit vehicle with unobstructed vision from the front and rear. Escort vehicles when accompanying a vehicle/load operating under a permit shall not tow a trailer or another vehicle, or haul equipment which extends beyond the dimensions of the escort vehicle. The escort vehicle is required to display a warning sign, yellow with black letter, reading "OVERSIZE LOAD". The sign shall be 5' long by 12" high with 8" high letters and shall be in good repair. Escort vehicles shall also be required to maintain radio communication with the operator of the permitted vehicle and shall also be required to be equipped with a roof mounted amber flashing or rotating light(s). Driver of the escort vehicle is to act as a flagger when needed. The driver of the escort vehicle shall not serve as an operator of other vehicles or equipment while escorting a vehicle/load.

Driver must be at least 18 years old and must have a valid driver's license by the state in which the escort is registered.

Signs & Flags**SIGNS**

"Oversize Load" signs shall be displayed on the front and rear of overdimensional vehicle or vehicle/load when overall width is 10' wide or greater, greater than 14'6" high, or exceeding the maximum legal length limit.

Signs shall be at least 7' long and 18" high. The sign's background shall be yellow with black lettering. Letters shall be at least 10" high with a 1.41 inch brush stroke. If the series is E Modified, the brush stroke is to be 2 inches.

FLAGS

Flags shall be at least 18" square, red or orange in color, in good repair and free of printing other markings and shall be securely fastened by at least one corner or securely mounted on a staff.

Overwidth vehicles and loads shall bear two (2) flags at the widest extremities of the load or vehicle as well as one (1) flag at each corner of the vehicle or load. Flags are not required to be displayed on the tractor.

Insurance

A permit will be issued only after the following proof of financial responsibility has been furnished. Confirmation will not be acceptable in lieu of the endorsement. Liability for bodily injury and property damage combined shall not be less than \$500,000. Liability for property damage combined shall not be less than \$500,000. Carrier must file OS.32 form with state as proof of insurance.

Tandem trailer combinations - public liability of not less than \$500,000 for each person, \$2,000,000 for each occurrence for damages arising from bodily injury, including death, and \$1,000,000 for property damage.

Weigh Stations

RTE	COUNTY MILEPOST (dir)	TELEPHONE	TOWN/OSHP POST
I-70	Guernsey 3.11 WB	740-432-6125	Cambridge
I-70	Preble 0.81 EB	937-437-6407	Ohio/Indiana Border
I-71	Clinton 6.84 NB	937-382-6552	Wilmington
I-74	Hamilton 2.98 EB	513-367-6616	Harrison
I-75	Hancock 20.35 SB	419-425-3703	N. of Finlay
I-75	Wood 8.86 NB	419-686-0324	Bowling Green
I-76	Medina 5.40 WB	330-336-4237	Wadsworth
I-80	Trumbull 6.88 WB	330-759-3901	Girard
I-90	Ashtabula 26.83 WB	440-593-6545	Conneaut
US-30	Van Wert 6.59 EB	419-749-4143	W. of Van Wert

Restricted Travel

Travel is restricted for all loads in excess of 12' wide shall be prohibited within Butler, Clermont, Cuyahoga, Delaware, Fairfield, Franklin, Geauga, Hamilton, Lake, Licking, Lorain, Lucas, Madison, Mahoning, Medina, Montgomery, Pickaway, Stark, Summit, Union, Warren, and Wood Counties between the hours of 6:30 a.m. and 9:00 a.m. and 4:30 p.m. and 6:00 p.m.

Drivers going in or out of the following ports WILL BE required to have a Transportation Workers Identification Card (TWIC) issued by the Transportation Safety Administration:

Ashtabula, Cincinnati, Cleveland, Lorain, Sandusky, Toledo

TURNPIKE RESTRICTIONS**Legal Dimensions**

Width:	8'6"	Height:	13'6"
Length:	40'	Single unit	

75'	Tractor/semi-trailer
-----	----------------------

90'	Doubles (Up to 112')
-----	----------------------

Weight:	90,000 GVW (127,400 doubles)
---------	------------------------------

21,000 Per axle

24,000 Tandem Axle (4 Ft. or less in spread)
--

34,000 Tandem Axle (more than 4 Ft. but less than 8 Ft.)
--

Tandem: Program allows double operations over 70' under permit. Maximum weight 127,400 lbs.

Triple: Trial basis-1 company is running triples but triples are not allowed at this time.

Tandem-trailer combinations must be granted advance specific written authorization of the commission such units can operate only on the Ohio Turnpike and from special areas which are provided along the turnpike to make up and break up the units. Vehicles traveling with this authority must have a minimum length of 90' and a maximum length of 106' and a maximum gross weight of 127,400 lbs. The single trip fee for tandem trailer combination (which is charged in addition to the schedule toll charge) is \$10.

LONG COMBINATION VEHICLES (LCV): Special permits are available, subject to compliance with provisions established by the Commission, for the operation of LCV'S (Long Double Trailer Combinations and Triple Trailer Combinations) on the Ohio Turnpike. For information and details contact the Traffic Engineer

TURNPIKE RESTRICTIONS (cont.)

- No permits will be issued for vehicles exceeding 14 feet in height.
- No permits will be issued for mobile and modular homes in excess of 12 feet in width.
- Permits for vehicles 11 feet wide or less, 112 feet long or less, and 14 feet high or less may be obtained at the entering toll plaza or online. Permit fees are in addition to the regular toll fees. Note: Permits obtained at the entering toll plaza and by mail will incur an additional \$50.00 processing fee.
- Travel with a valid permit may be made at any time if the vehicle does not exceed the following dimensions:
 - Width: 10 Feet, Height: 14 Feet (Maximum Allowed)
 - Length: 60 Feet for a single unit,
 - 90 Feet for a combination unit and 60 Feet for any unit thereof,
 - Rear Overhang: 4 feet beyond the bed or body of the vehicle.
 - Permits issued to vehicles in excess of the dimensions are restricted to DAYLIGHT HOURS (between the hours of sunrise and sunset) and are prohibited during certain holiday periods. Special restrictions may be imposed during construction periods.
 - Over dimensional vehicles permitted to travel at night shall have all lights and reflectors required by the Public Utilities Commission of Ohio, and the U.S. Department of Transportation, Federal Motor Carrier Safety Administration.
 - Vehicles having a rear overhanging load in excess of 4 feet beyond the bed or body of the vehicle shall be restricted to DAYLIGHT HOURS (between the hours of sunrise and sunset).
- Vehicles more than 11 Feet Wide, or more than 112 Feet Long, must have a rear escort vehicle. Applications for permits for vehicles more than 11 Feet Wide, or more than 112 Feet Long, with more than 25,000 Lbs. on an individual axle (14,250 Lbs on an individual axle of a tandem axle with a spacing less than 4 feet, 0 inches) and/or vehicles exceeding 120,000 Lbs. must be made TWO (2) BUSINESS DAYS before the anticipated travel day, and submitted prior to 3:00 p.m., EST.

OHIO

- The need for an Ohio State Highway Patrol (OSHP) escort will be determined by the Traffic Engineer on a case-by-case basis for all overweight and all unusual vehicles. However, a Patrol escort will be required for all vehicles over 13 Feet in width and all vehicles over 160 Feet in length. Application for unusual loads, super loads and loads requiring OSHP escort shall be made ONE (1) WEEK in advance of the anticipated travel day. The Traffic Engineer will notify the State Patrol of the anticipated travel day and time.
- Operating Regulations:
 - A. Vehicles and loads with a rear overhang of 4 feet or greater, shall display a single warning flag at the extreme rear if the overlength or projecting part is two feet wide or less. Two warning flags shall be displayed if the overlength or projecting portion is wider than two feet. The flags should be located to indicate maximum width.
 - B. An overwidth vehicle, slow moving vehicle and the escort vehicle shall be adequately marked with warning flags on both rear corners.
 - C. Warning flags shall be 18 inches square, red or orange in color, in good repair and free of printing or other markings. Flags shall be securely fastened by at least one corner or securely mounted on a staff.
 - D. Vehicles more than 10 Feet Wide and/or vehicles more than 112 Feet Long and the escort vehicle shall display a large sign, readily visible to the rear, with a legend that reads "OVERSIZE LOAD". The legend letters shall not be less than 10" high, and the entire sign must be readily legible at 500 to 600 feet.
 - E. The vehicle and escort vehicle shall move in the right lane only unless restricted from doing so by a traffic zone or the presence of an emergency vehicle. The escort vehicle shall maintain a position approximately 600 feet to the rear of the vehicle being escorted.
 - F. The Ohio State Highway Patrol reserves the right to remove any wide or slow load from the Turnpike if it is a hazard to traffic, or if the escort vehicle does not comply with the Limitations/Provisions on the use of a Special Hauling Permit issued with the permit and with any special provisions contained in the permit.

Oversize/Overweight Turnpike Fees

OVER DIMENSIONAL

Over Width and/or Over Height (14 FT Maximum) and/or Over Length	\$25.00
--	---------

OVERWEIGHT*

Overweight axle(s) and/or Gross Overweight up to 120,000 LBS	\$135.00
Overweight greater than 120,000 LBS.....\$135.00 + TM**	

* Over Dimensional fees are waived if Overweight fees are assessed.

**TM (Ton Mile) = the weight over and above 120,000 LBS multiplied by the miles traveled multiplied by 4 cents

MISCELLANEOUS PERMIT FEES

Toll Plaza Drive-Up Processing Fee	\$50.00
Permit Revision Fee (Applicable only for permits with Over Width greater than 11 FT and/or Over Length greater than 112 FT and/or Overweight greater than 120,000 LBS)	\$50.00
Ohio State Highway Patrol Escort/Inspection Fee	\$60.00/hr.

Holidays

Overweight only vehicles/loads may travel on holidays/holiday weekends with a valid permit.

Travel is prohibited on the following holidays/holiday weekends: (Overweight only allowed to travel)

New Year's Day
Memorial Day

Independence Day
Labor Day

Thanksgiving Day
Christmas Day

The State Permit Office will be closed on the above mentioned holidays as well as Martin Luther King's Birthday, President's Day, Juneteenth Day, Columbus Day and Veteran's Day but there are no travel restrictions.

Fines

Misrepresentation of information on a permit or non-compliance with the provisions of a permit may result in revocation of a permit or other administrative action against an offender. Such action may include: 1.) official letter of reprimand; 2.) imposition of special conditions on future permit applications deemed appropriate to assure compliance; 3.) rejection of future permit application for specified period of time. Criminal and civil liability can result from any unpermitted movement.

Super Loads

In Ohio, an overweight superload is any vehicle and load combination with a gross weight in excess of 120,000 pounds.

The Department recognizes that the use of lift axles may be necessary for overweight superload weight distribution. Such axles shall be part of an air ride suspension group designed to equalize the load over all axles in the group, including the retractable axles. If the lift axle is in the down position, it is recognized as part of the axle configuration.

For more information please contact:

Comdata

(800) 749-7174

To obtain and order permits from Comdata please call:

(800) 749-7166